

Contents

Preface	v
1 Introduction	1
1.1 References	3
2 General Rheological Features of Polymeric Materials	5
2.1 Experimental Modes	6
2.1.1 Definitions	6
2.1.2 Creep and Creep Recovery	8
2.1.3 Stressing Experiments	10
2.1.4 Dynamic-Mechanical Experiments	12
2.1.5 Cox-Merz Rule	15
2.1.6 Temperature Dependence	16
2.2 Experimental Methods	17
2.2.1 Rotational Rheometry	18
2.2.1.1 Cone-and-Plate Rheometer	18
2.2.1.2 Plate-Plate Rheometer	20
2.2.1.3 Couette Rheometer	25
2.2.2 Capillary Rheometry	26
2.2.2.1 Determination of Slip	32
2.2.3 Extensional Rheometry	33
2.3 Special Aspects Regarding Rheological Measurements on Suspensions	35
2.4 References	36
3 Characteristic Properties of Particles	39
3.1 Size and Distribution of Particles	39
3.2 Interactions between Particles	41
3.3 Interparticle Distances	44

3.4 Sedimentation	46
3.5 References	50
4 Rheological Properties of Newtonian Polymeric Materials Filled with Microparticles	51
<i>Coauthored by Michael Schmidt</i>	
4.1 Filled Systems with a Newtonian Behavior	51
4.2 Filled Systems with Non-Newtonian Behavior	55
4.2.1 Phenomenology of Shear Thinning	55
4.2.2 Viscous Behavior in Shear	59
4.2.3 Elastic Behavior in Shear	61
4.2.4 Temperature Dependence of Viscosity	65
4.2.5 Influence of the Viscosity of Matrix Fluids on the Flow Behavior	67
4.2.6 Dependence of the Viscosity on Filler Concentration	69
4.2.7 Dependence of the Viscosity on Particle Size and Distribution ...	72
4.2.7.1 Viscosity of Bidisperse Suspensions	73
4.2.7.2 Viscosities of Suspensions with Various Polydisperse Particles	74
4.2.8 Relations between Maximum Packing Density and Polydispersity	80
4.2.9 Influence of Surface Properties of Particles on Viscosity	83
4.2.10 Influence of Humidity on Flow Behavior	85
4.3 Flow Behavior in Oscillatory Shear	86
4.4 References	90
5 Rheological Properties of Polymeric Materials Filled with Nanoparticles	93
<i>Coauthored by Christian Triebel</i>	
5.1 Investigations on the Thermal Stability of Polymer/Particle Composites	93
5.2 General Aspects of the Influence of Nanoparticles on Processing Properties	99
5.2.1 Viscosity Functions	100
5.2.2 Extrudate Swell	101
5.3 Linear Rheological Behavior	102
5.3.1 Dynamic-Mechanical Experiments	103
5.3.2 Creep and Creep-Recovery Experiments	105
5.3.3 Comparison between Dynamic-Mechanical and Creep and Creep-Recovery Experiments	106
5.3.4 Dependence of η_0 and J_e^0 on Particle Concentration	108
5.3.5 Retardation Spectra	110

5.3.6 Extension of the Frequency Range of Dynamic-Mechanical Experiments by Retardation Spectra	112
5.3.7 Model	113
5.3.8 Dispersion of Nanosilica	116
5.3.9 Influence of the Specific Surface Area on Rheological Properties	117
5.3.10 Influence of the Molecular Structure of the Matrix on Rheological Properties of Silica-Filled Polymers	119
5.3.11 Temperature Dependence of Rheological Properties of Silica-Filled PMMA	123
5.4 Stress Dependence of the Recoverable Compliance	132
5.5 Rheological Properties of PMMA Filled with Nanoclay	137
5.5.1 Characterization of Nanoclay	137
5.5.2 Rheological Properties	139
5.6 References	142
6 Rheological Properties of Thermoplastic Materials with Carbon Fillers	145
6.1 Properties of Thermoplastic Materials Filled with Carbon Black	146
6.1.1 General Properties	146
6.1.2 Rheological Behavior	150
6.1.3 Electrical Behavior	154
6.1.4 Comparison of the Effect of Carbon Black on the Storage Modulus and the Electrical Conductivity	157
6.2 Graphite and Graphene as Fillers for Thermoplastics	159
6.2.1 Graphite	159
6.2.2 Graphene	163
6.3 Properties of Polymer Melts Filled with Carbon Nanotubes	164
6.3.1 Carbon Nanotubes	164
6.3.2 Rheological Properties of Polymethylmethacrylate Filled with Multiwall Nanotubes	165
6.3.3 Rheological Properties of Polypropylene Filled with Multiwall Carbon Nanotubes	168
6.4 References	171
7 Rheological Properties of Filled Thermoplastics with Respect to Applications	173
7.1 General Properties of Filled Thermoplastics	173
7.2 Viscosity Functions of Filled Thermoplastics	174
7.2.1 Polystyrene Filled with Glass Beads or Calcium Carbonate	174

7.2.2	Viscosity Functions of Various Thermoplastics Filled with Glass Fibers	177
7.2.3	Numerical Descriptions of Viscosity Functions	179
7.2.3.1	Numerical Descriptions of Viscosity Functions of Unfilled Thermoplastics	180
7.2.3.2	Numerical Description of Viscosity Functions of Filled Thermoplastics with a Yield Stress	182
7.3	Entrance Pressure Losses	185
7.4	Elastic Effects	187
7.4.1	Extrudate Swell	187
7.4.2	Normal Stress Difference	189
7.5	Investigations on a Particle-Filled Wax	192
7.5.1	Characteristic Data of Matrix and Filler	193
7.5.2	Preliminary Investigations	193
7.5.3	Experimental Results	194
7.6	References	200
8	Elongational Properties of Filled Thermoplastics	203
8.1	Elongational Viscosity of Unfilled Polymers	203
8.2	Elongational Viscosity of Filled Polymers	206
8.2.1	Elongational Viscosity of a Low-Density Polyethylene Filled with Various Particles	207
8.2.2	Elongational Viscosity of a Polymethylmethacrylate Filled with Nanoclay	209
8.2.3	Elongational Viscosity of a Low-Density Polyethylene Filled with Glass Beads	215
8.2.4	Recoverable Elongation of Filled Polymers	217
8.2.5	Comparison of the Recovery in Shear and Elongation	220
8.3	References	221
9	Rheological Behavior of Polymer Melts with Intrinsic Structural Heterogeneities	223
9.1	Rheological Properties of Polyvinylchloride and Internal Structures	224
9.1.1	Viscosity Functions	224
9.1.2	Flow Profiles	229
9.1.3	Flow Curves	230
9.1.4	Extrudate Swell	231
9.1.5	Dependence of the Rheological Behavior on Molar Mass	232

9.2 Rheological Properties of Polycarbonate and Their Relation to Internal Structures	234
9.2.1 Crystallization Behavior of Polycarbonate	235
9.2.2 Rheological Behavior as a Function of Time for Various Polycarbonate Samples	236
9.3 References	240
10 Appendix Related to Particle-Filled Samples	241
10.1 Sample Preparations	241
10.1.1 Composites Based on Silica	241
10.1.2 Nanoclay Composites	241
10.1.3 Composites with Carbon Black	242
10.1.4 Composites with Graphite	242
10.1.5 Composites with Multiwall Carbon Nanotubes (MWCNT)	243
10.1.5.1 Solution Mixing with PMMA as a Matrix	243
10.1.5.2 In Situ Polymerization with PP as a Matrix	243
10.1.6 Polyethylene with Glass Beads	243
10.2 Measurement of the Recoverable Compliance	244
10.3 Experimental Determination of Stationarity and Linearity of Creep Recovery	245
10.4 Recoverable Compliance and Quality of Dispersion	247
10.4.1 Nanoclay in PMMA	247
10.4.2 Composites of PMMA and Multiwall Carbon Nanotubes Prepared by Solution Mixing	251
10.4.3 Composites of PP and Carbon Nanotubes Prepared by In Situ Polymerization	252
10.5 References	254
11 Introduction to Polymer Blends	255
11.1 Thermodynamics of Mixing	256
11.1.1 Experimental Methods to Determine Miscibility	261
11.2 Morphology of Blends	263
11.2.1 Droplet Deformation and Morphology Development	264
11.3 References	269
12 Determination of Miscibility of Polymer Blends	271
12.1 Glass Transition and Miscibility	271
12.1.1 PS/PPE Blends	272
12.1.2 Blends on the Basis of Polyaryl Ether Ketone (PAEK)	274

12.2	Miscibility and Thermorheological Properties	278
12.2.1	Time-Temperature Shift Factors	278
12.2.2	Phase Angle in Dependence on the Magnitude of the Complex Modulus	280
12.2.3	Cole-Cole Plot	283
12.3	References	284
13	Rheological Properties of Blends of Homologous Polymeric Materials	285
13.1	Polystyrenes	285
13.1.1	Mixing Rule for Zero-Shear Viscosity	285
13.1.2	Extension of the Mixing Rule to the Complex Viscosity	288
13.1.3	Application of the Logarithmic Mixing Rule	289
13.1.4	Mixing Rule for the Linear Steady-State Recoverable Compliance	290
13.1.4.1	Comparison with Experimental Results	292
13.1.5	Influence of a High Molar Mass Component on Elongational Viscosity	295
13.2	Polyolefins	297
13.2.1	Miscibility of Various Linear Polyethylenes	297
13.2.2	Miscibility of Linear and Long-Chain Branched Polyethylenes	299
13.2.3	Blends of Linear and Long-Chain Branched Polypropylenes	300
13.3	References	303
14	Rheological Properties of Polymeric Materials Filled with Rubbery Particles	305
14.1	Rheological Properties of Various Acrylonitrile-Butadiene-Styrene Copolymers	306
14.1.1	Structure of the ABS Copolymers	306
14.1.2	Rheological Properties in Shear	307
14.1.3	Rheological Properties in Elongation	311
14.2	Rheological Properties of Acrylonitrile-Styrene-Acrylicester Copolymers (ASA)	314
14.3	Dynamic-Mechanical Experiments on ABS with Various Rubber Contents	316
14.4	Models for Particle Interactions in Rubber-Filled Styrene-Acrylonitrile Copolymers	319
14.5	References	322

15 Rheological Properties of Immiscible Polymer Blends	323
15.1 Rheological Behavior in Shear	323
15.1.1 Dynamic-Mechanical Experiments	323
15.1.2 Viscosity Functions	326
15.1.3 Elastic Effects in Shear	328
15.1.3.1 Linear Elastic Quantities	329
15.1.3.2 Extrudate Swell	330
15.2 Elongational Properties	332
15.2.1 Viscosity Functions	333
15.2.2 Recoverable Elongation	336
15.3 Influence of a Cocontinuous Phase on Rheological Properties	344
15.4 References	346
16 Rheological Behavior of Compatibilized Blends	349
16.1 Physical Compatibilization	350
16.1.1 Compatibilized PS/PMMA blends	350
16.1.2 Compatibilized PS/LLDPE Blends	351
16.2 Reactive Compatibilization	353
16.2.1 Compatibilized Polystyrene/Polypropylene Blends (PS/PP)	353
16.2.2 Compatibilized Polyamide/Styrene-Acrylonitrile Blends (PA/SAN)	355
16.3 References	360
17 Morphology Development of Immiscible Blends	363
<i>Coauthored by Marcus Heindl and Zdenek Stary</i>	
17.1 Morphology of Blends in Capillary Flow	363
17.2 Morphology Development in Newtonian Liquids under Simple Shear and Planar Extension	367
17.3 Geometrical Changes of Single Polymer Droplets in Uniaxial Extension	372
17.4 Morphology Development in Polymer Blends under Constant Elongational Rate	375
17.5 Morphology Development in Polymer Blends under Constant Tensile Stress	385
17.5.1 PS/LLDPE Blends	386
17.5.2 SAN/PP Blends	389
17.6 Morphology Development during Relaxation and Recovery	392
17.6.1 Fibril Breakup According to Tomotika	393
17.6.2 Relaxation Experiment	394
17.6.3 Recovery Experiment	398
17.7 References	403

18 Morphology Development in Compatibilized Polymer Blends	407
<i>Coauthored by Zdenek Stary</i>	
18.1 Physical Compatibilization	407
18.1.1 Compatibilized PS/PMMA Blends	407
18.1.2 Compatibilized PS/LLDPE Blends	411
18.1.2.1 Sample Preparation	412
18.1.2.2 Distribution of the Compatibilizer within the Sample	412
18.1.2.3 Influence of Compatibilization on Morphology Development during Elongation	413
18.1.2.4 Influence of Compatibilization on the Morphology during Relaxation	417
18.2 Reactive Compatibilization	420
18.2.1 Compatibilized Polystyrene/Polypropylene Blends (PS/PP)	420
18.2.2 Compatibilized Polyamide/Styrene-Acrylonitrile Blends (PA/SAN)	422
18.3 References	425
19 Appendix Related to Polymer Blends	427
19.1 Thermal Stability of ABS and ASA	427
19.2 Influence of Sample Preparation on the Blend Morphology	430
19.2.1 Laboratory Kneader	430
19.2.2 Samples for Elongational Experiments	432
19.3 Determination of Droplet Distributions	433
19.4 Methods for Measuring Interfacial Tension	436
19.5 Characterization of Sample Morphology by Scanning Electron Microscopy	438
19.5.1 Uncompatibilized PS/LLDPE Blends	438
19.5.2 Compatibilized PS/LLDPE Blends	440
19.5.3 SAN/PP Blends	442
19.6 Determination of the Anisotropy of Particle Distributions by X-ray Diffraction	442
19.7 Morphological Investigations by Atomic Force Microscopy	445
19.8 References	445
20 About the Author	447
Index	449